

Ultimate Pro PVA

Safety Data Sheet NNNNN

(17th April 2012)

(version 1)

Product Identification

Trade Name: Ultimate Pro PVA
Description: All purpose primer, sealer and bonding agent.

Hazardous Ingredients

Component	CAS	EINECS	Conc.	Symbols/Risk Phrases
A mixture of: cis-1, 4-Dimethylcyclohexyl dibenzoate	35541-81-2	416-230-3	30-40%	R53
Trans-1, 4-dimethylcyclohexuyl dibenzoate				
Poly Vinyl Alcohol	25213-24-5		1-10%	F; R11; R23/25

Hazard Identification

Main Hazards: Harmful by inhalation and if swallowed. May cause long-term-adverse effects in the aquatic environment.

Emergency and First Aid

Eye Contact: May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist..

Skin Contact: May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

Ingestion: May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

Inhalation: May cause irritation to mucous membranes. Move the exposed person to fresh air.

Exposure Control/Personal Protection

Engineering Measures: Enable adequate ventilation of the working area.
Hand Protection: Chemical resistant gloves (PVC)
Eye Protection: In case of splashing, wear: Approved safety goggles.
Protective Equipment: Wear protective clothing.

Ecological Information

Ecotoxicity: May cause long term adverse effects in the aquatic environment.
Degradability: Not readily biodegradable.
Bioaccumulation: Does not biodegradable.

(17th April 2012)

(version 1)

Accidental Release Measures

Personal Protection:	Ensure adequate ventilation of the working area.
Environmental Precautions:	Do not allow product to enter drains. Prevent further spillage if safe.
Clean up methods:	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

Stability and Reactivity

Stability:	Stable under normal conditions.
-------------------	---------------------------------

Physical and Chemical Properties:

Appearance:	White liquid.
Odour:	Characteristic.
pH:	4-6.
Boiling Point:	100 °C .
Vapour Pressure:	18mmHg @ 25 °C .
Relative Density:	1.07.
Solubility (water):	Miscible in water.
Viscosity:	Flow time in 3mm ISO cup (ISO 2431) – 115.
Freezing Point:	0 °C.

Waste Disposal

Dispose of in compliance with all local and national regulations.

Regulatory Information

Risk Phrases:	R20/22 – Harmful by inhalation and if swallowed. R53 – May cause long-term adverse effects in the aquatic environment.
----------------------	---

Transport Information

The product is not classified as dangerous for carriage

Toxicological Information



Ultimate Pro PVA

Safety Data Sheet

(17th April 2012)

(version 1)

Fire Fighting Measures

Extinguishing Media:	Use extinguishing media appropriate to the surrounding fire conditions.
Fire Hazards:	Burning produces irritating, toxic and obnoxious fumes.
Protective Equipment:	Wear suitable respiratory equipment when necessary.

Handling and Storage

Handling:	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
Storage:	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers. Storage for no more than 6 months under ambient conditions is recommended. To maintain the product in good condition store indoors between 5 and 30 °C. Significant product thickening may occur at temperatures between 5-15 °C – below 5 °C the product will freeze and may result in non-retrievable, unusable product.

Disclaimer

The information in this document is offered for general health and safety guidance only and is not intended to be a definitive source of advice, nor does it constitute a risk assessment, for which the user is responsible. All information provided in this document is believed to be accurate to the best of our knowledge. Users of the products referred to should observe the recommendations, conditions and instructions relating to any relevant product label, usage information, consent or approval in force at the time. Further and more specific information may be obtained from the supplier on request (small fee may be required for this service). This company shall not be held liable for any damage resulting from handling or from contact with the above product