

# uPVC Wood Grain Cleaner Safety Data Sheet

(17<sup>th</sup> April 2012)

(version 1)

P1/3

Product Identification					
Trade Name:	Foil Safe Solvent Cleaner.				
Description:	A non-dissolving cleaner for use on unplasticised PVC profiles covered by foils.				
Hazardous Ingredients					
Component	Index No.	CAS No.	EC No.	Classification	Conc.
D-Limonene	601-029-00-7	5989-27-5	227-813-5	R10 Xi; R38 R43 N; R50/	53 1-10%
SODIUM LAURYL ETHER SULPHATE		3088-31-1	221-416-0	Xi; R36/38	1-10%
Hazard Identification					
(Hazard:	May	cause sensitis	ation by skin c	ontact.	
Emergency and First Aid					
After Eye Contact:	Rins	e immediately	with plenty o	f water for 15 minutes hol	ding the
	eyelids open.				
After Skin Contact:	Wash off immediately with plenty of soap and water. Remove				
	contaminated clothing.				
After Ingestion:	DO I	NOT INDUCE V	OMITING.		
After Inhalation:	Move the exposed person to fresh air.				
Most Important Sympton	<u>ms</u>				
Eye Contact:	Irritating to eyes.				
Skin Contact:	Irritating to skin.				
Ingestion:	Ingestion is irritating to the respiratory tract and may cause damage				
	to th	e central nerv	ous system.		
Inhalation:	Inhalation may cause coughing, tightness of the chest and irritation				
	of the respiratory system. Irritating to respiratory system.				
Indication of Any Immediate Medical Attention Needed					
Eye Contact:	Seek	medical atter	ntion if irritatio	on or symptoms persist.	
Skin Contact:	Seek	medical atter	ntion if irritatio	on or symptoms persist.	
Ingestion:	Seek	medical atter	ntion if irritatio	on or symptoms persist.	
Inhalation:	Seek	medical atter	ntion.		J
Fire Fighting Measures					
Extinguishing Media:	Use extinguis	shing media a	opropriate to t	he surrounding fire condit	ions.
Special Hazards:	Burning produces irritating, toxic and obnoxious fumes.				
Advice for Firefighters:	Wear suitable respiratory equipment when necessary.				

The Coach House, Gatewen Road, Wrexham, LL11 6YZ.

enquiries@skilledbuild.co.uk



# uPVC Wood Grain Cleaner

Safety Data Sheet

(17<sup>th</sup> April 2012)

(version 1)

## **Accidental Release Measures**

Personal Precautions:	Ensure adequate ventilation of the working area. Wear suitable protective equipment.
Environmental Precautions:	Do not allow to enter drains. Prevent further spillage if safe.
Methods for Cleaning-Up:	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

#### Handling and Storage

Handling:	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying
	and dispensing.
Storage:	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store
	in correctly labelled containers.

#### **Exposure Control/Personal**

Engineering Controls:	Ensure adequate ventilation of the working area.
Individual Protection Measures:	Wear chemical protective clothing.
Eye/Face Protection:	Approved safety goggles.
Skin Protection:	Chemical resistant gloves (PVC).
Respiratory Protection:	Wear: Suitable respiratory equipment.

#### **Physical and Chemical Properties:**

Appearance:	Orange Liquid.
Odour:	Characteristic.
Relative Density:	0.99 (Water = 1@20°C)
Boiling Point:	100°C.
Boiling Point:	100°C.

## **Stability and Reactivity**

Stability:
------------

Stable under normal conditions.

#### **Toxicological Information**

May cause sensitisation by skin contact.

## **Ecological Information**

#### Waste Disposal

Dispose of in compliance with all local and national regulations. Do NOT reuse empty containers.

The Coach House, Gatewen Road, Wrexham, LL11 6YZ.

enquiries@skilledbuild.co.uk



# uPVC Wood Grain Cleaner Safety Data Sheet

(17<sup>th</sup> April 2012)

(version 1)

# **Transport Information**

This product is not classified as dangerous for carriage.

#### **Regulatory Information**

Classification – 1999/45/EC:	Xi; R43.	
Symbols:	The product is classified in accordance with 67/548/EEC.	
	Xi: Irritant.	
Risk Phrases:	R43 – May cause sensitisation by skin contact.	
Safety Phrases:	S1/2 – Keep locked up and out of the reach of children.	
	S13 – Keep away from food, drink and animal feedingstuffs.	
	S46 – If swallowed, seek medical advice immediately and show this	
	container or label.	
Regulations:	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF	
	THE COUNCIL 18 December 2006 concerning the Registration, Evaluation,	
	Authorisation and Restriction of Chemicals (REACH), establishing a	
	European Chemicals Agency, amending Directive 1999/45/EC and repealing	
	Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No	
	1488/94 as well as Council Directive 76/769/EEC and Commission Directives	
	91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.	
Mentioned Risk Phrases:	R10 – Flammable.	
	R36/38 – Irritating to eyes and skin.	
	R38 – Irritating to eyes and skin.	
	R43 – May cause sensitisation by skin contact.	
	R50 / 53 – Very toxic to aquatic organisms, may cause long-term adverse	
<	effects in the aquatic environment.	

#### **Disclaimer**

The information in this document is offered for general health and safety guidance only and is not intended to be a definitive source of advice, nor does it constitute a risk assessment, for which the user is responsible. All information provided in this document is believed to be accurate to the best of our knowledge. Users of the products referred to should observe the recommendations, conditions and instructions relating to any relevant product label, usage information, consent or approval in force at the time. Further and more specific information may be obtained from the supplier on request (small fee may be required for this service). This company shall not be held liable for any damage resulting from handling or from contact with the above product