

Safety Hard Hat Information Sheet



Product Data

Shelf Life: When handled and stored correctly, and when free from damage, the usable life of the helmet is 2 years from first use.

Storage: When not in use or during transportation, the helmet should be kept in a container. The container should be stored out of direct sunlight, away from chemicals and abrasive substances and where it cannot be damaged by contact with hard surfaces.

Important Information

SkilledBuild is committed to development and supply of quality products and may substitute or change product branding or specification or technical data without notice. Always check for latest information.

All information provided is based on practical tests & published data and is intended to guide a competent DIY user or contractor in the typical use of products for minor works but is without guarantee. If a failure of the works will be costly to repair or hazardous then design & execution must be undertaken by competent persons. Further advice should be sought from a suitably qualified advisor. Skilled Build may be able to answer simple product enquiries.

Since application and working and user competence is beyond our control, no liability of the supplier can be derived from the contents of information sheets or other general information provided. Any statements made beyond the contents of SkilledBuild's website or product labels must be confirmed in writing by the supplier.

Description

This lightweight helmet is designed with comfort and performance in mind and cleverly combines safety and economy.

It is designed for basic general or occasional use.

Directions for use:

- For adequate protection this helmet must fit, or be adjusted to, the size of the users head. The helmet must be worn with the peak facing forward. To alter the fit, adjust the harness at the rear of the helmet and ensure a comfortable fit around the crown of the head.
- The helmet is made to absorb the energy of impact by partial destruction or damage to the shell or harness. Even though such damage may not be readily apparent, any helmet subjected to severe impact should be replaced.
- The attention of users is also drawn to the danger of modifying or removing any of the original component parts of the helmet. Helmets should not be adapted for the purpose of fitting attachments in any way. Do not apply paint, solvent, adhesives or self-adhesive labels.

Inspection and Care of the Helmet:

- The helmet is a complete system consisting of shell and harness. The helmet's useful life is affected by many factors including extreme heat or cold, exposure to sunlight or chemicals. The helmet and harness should be examined daily for obvious signs of cracking, brittleness or damage.
- The helmet may be cleaned with the use of soap and warm water and dried with a soft cloth.
- The helmet should not be cleaned with abrasive substances or solvents and must not be stored in direct sunlight or in contact with any solvents.