



# Ultra-Rez Vinylester Resin

## Safety Data Sheet

(17<sup>th</sup> April 2012)

(version 1)

### Product Identification

**Trade Name:** Vinylester Resin.  
**Description:** A chemical anchoring application.

### Hazard Identification

**Hazard:** No significant hazard.  
**PBT:** This substance is not identified as a PBT substance.  
**Classification under CHIP:** This product has no classification under CHIP.

### Hazardous Ingredients

Component	EINECS	CAS Number	Percent
Dibenzoyl Peroxide	202-327-6	94-36-0	<1%

### Emergency and First Aid

**After Eye Contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.  
**After Skin Contact:** Wash immediately with plenty of soap and water. Remove all contaminated clothes and footwear immediately unless stuck to skin. Consult a doctor.  
**After Ingestion:** If conscious, give half a litre to drink immediately. Do not induce vomiting. Consult a doctor.  
**After Inhalation:** Move to fresh air in case of accidental inhalation of vapours. Consult a doctor.

### Exposure Control/Personal Protection

**Workplace Exposure Limit:** Not applicable.  
**Engineering Measures:** Ensure all engineering measures mentioned in the Handling and Storage section are in place.  
**Respiratory Protection:** Breathing protection is required in inadequately ventilated places.  
**Hand Protection:** Protective gloves.  
**Skin Protection:** Protective clothing.  
**Eye Protection:** Safety glasses.

### Toxicological Information

**Inhalation:** There may be loss of consciousness.  
**Skin Contact:** There may be irritation and redness at the site of contact.  
**Eye Contact:** There may be irritation and redness.  
**Ingestion:** There may be loss of consciousness.



# Ultra-Rez Vinylester Resin

## Safety Data Sheet

(17<sup>th</sup> April 2012)

(version 1)

### Most Important Symptoms And Effects

<b>Skin Contact:</b>	There may be irritation and redness at the site of contact.
<b>Eye Contact:</b>	There may be irritation and redness.
<b>Ingestion:</b>	There may be loss of consciousness.
<b>Inhalation:</b>	There may be a loss of consciousness.
<b>Immediate/special treatment:</b>	Show this safety data sheet to the doctor in attendance.

### Accidental Release Measures

<b>Environmental Precautions:</b>	Do not discharge into drains or rivers.
<b>Clean-Up Procedures:</b>	Transfer to a suitable container. Wash the area with water.

### Ecological Information

<b>Ecotoxicity Values:</b>	Not applicable.
<b>Persistence:</b>	No data available.
<b>Mobility in Soil:</b>	No data available.
<b>Bio-Accumulative:</b>	No data available.
<b>PBT Identification:</b>	This substance is not identified as a PBT substance.
<b>Other Adverse Effects:</b>	No data available.

### Physical and Chemical Properties:

<b>Physical Form:</b>	Paste.
<b>Colour:</b>	Various.
<b>Odour:</b>	Characteristic Odour.
<b>Oxidising:</b>	Oxidising (by EC criteria).
<b>Solubility in Water:</b>	Insoluble.
<b>Boiling Point °C:</b>	195
<b>VOC g/l:</b>	0.66
<b>Relative Density:</b>	1.61

### Fire Fighting Measures

<b>Extinguishing Media:</b>	Suitable extinguishing media for the surrounding fire should be used. Dry chemical powder. Carbon dioxide. Foam. Do not use halons.
<b>Exposure Hazards:</b>	Sealed, heated containers can pressurise leading to explosion. In combustion emits toxic fumes.
<b>Advice for fire-fighters:</b>	Wear self-contained breathing apparatus.



# Ultra-Rez Vinylester Resin

## Safety Data Sheet

(17<sup>th</sup> April 2012)

(version 1)

### Stability and Reactivity

<b>Reactivity:</b>	Stable under recommended transport or storage conditions.
<b>Chemical Stability:</b>	Stable under normal conditions. May polymerise on heating.
<b>Conditions to Avoid:</b>	Heat.
<b>Materials to Avoid:</b>	Reducing agents. Acids. Alkalis. Heavy metal compounds. Organic peroxide. Oxidising agents.
<b>Hazardous Reactions:</b>	Hazardous reactions will not occur under normal transport or storage conditions.
<b>Hazardous Decomposition Products:</b>	If exposed to high temperatures it will emit hazardous fumes and smoke. Pressure rise and possible bursting of containers may follow.

### Regulatory Information

<b>Labelling:</b>	No significant hazard.
<b>Safety Phrases:</b>	S2: Keep out of the reach of children S24: Avoid contact with skin S37: Wear suitable gloves
<b>Precautionary Phrases:</b>	Contains dibenzoyl peroxide. May produce an allergic reaction.
<b>Safety, Health and Environmental:</b>	Not applicable.
<b>Chemical Safety Assessment:</b>	A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

### Transport Information

<b>Transport Class:</b>	This product does not require a classification for transport.
-------------------------	---

### Waste Disposal

<b>Disposal Operations:</b>	Transfer to a suitable container and arrange for collection by specialised disposal company. Small quantities of the product can be mixed and allowed to cure, then can be disposed as solid waste.
<b>Waste Code Number:</b>	08 04 12
<b>Disposal of Packaging:</b>	Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.
<b>NB:</b>	The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### Handling and Storage

<b>Handling Requirements:</b>	Keep away from Heat and sources of ignition. Use non-sparking tools.
<b>Storage Conditions:</b>	Ensure lighting and electrical equipment are not a source of ignition. Store in cool, well ventilated area.
<b>Suitable Packaging:</b>	Must only be kept in original packaging.
<b>Specific End Use(s):</b>	Building and construction work (SU19).



# Ultra-Rez Vinylester Resin

## Safety Data Sheet

(17<sup>th</sup> April 2012)

(version 1)

### Other Information

**Other Information:**

Prepared in accordance with Commission Regulation (EU) No 453/2010

**Phrases Used in s.2 and 3:**

R20/22: Harmful by inhalation and if swallowed. R21/22: Harmful in contact with skin and if swallowed. R34: Causes burns. R36/38: Irritating to eyes and skin. R43: May cause sensitisation by skin contact. R51/53: Toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment. R52/53: Harmful to aquatic organisms, may cause long term adverse effects in the aquatic environment.

### Disclaimer

The information in this document is offered for general health and safety guidance only and is not intended to be a definitive source of advice, nor does it constitute a risk assessment, for which the user is responsible. All information provided in this document is believed to be accurate to the best of our knowledge. Users of the products referred to should observe the recommendations, conditions and instructions relating to any relevant product label, usage information, consent or approval in force at the time. Further and more specific information may be obtained from the supplier on request (small fee may be required for this service). This company shall not be held liable for any damage resulting from handling or from contact with the above product.