

DampOut+ WaterSeal Safety Data Sheet

(17th April 2012)

(version 1)

Product Identification

Trade Name: ULTRA WATERSEAL

Description: A premium grade solvent free silicone waterseal which provides a micro porous

water repellent coating for masonry work, which while repelling exterior water allows the emission of water vapour ensuring the interiors and cavity walls

remain dry.

Hazardous Ingredients

Alkylalkoxysilane and siloxane emulsion in water.

Component EINECS Classification Concentration

Hazard Identification

Fire: Not applicable.

Environment: Not applicable.

Inhalation: May cause irritation to nose and throat.

Skin Contact: Possible irritation.

Eye Contact: May cause irritation and redness.

Ingestion: Possible irritation.

Emergency and First Aid

After Eye Contact: Irrigate immediately with clean water for 15 minutes and obtain medical

attention.

After Skin Contact: Remove excess material and wash affected area with plenty of soap and

water.

After Ingestion: Wash out mouth with water. Do not induce vomiting. Pay attention to

breathing patterns. Seek medical attention.

After Inhalation: Remove person to fresh air. If discomfort persists seek medical advice.

Exposure Control/Personal Protection

Respiratory Protection: Not required under normal conditions.

Hand/Skin Protection: Impervious gloves, overalls and boots.

Eye Protection: Recommended Safety goggles.

Ecological Information

Mobility:Mobile.Degradability:Not known.

Accumulation: Not expected.

Short and Long Term Effects: Not anticipated.



<u>DampOut+ WaterSeal</u> <u>Safety Data Sheet</u>

(17th April 2012) (version 1)

Toxicological Information

Skin Contact: Possible irritation.

Eye Contact: Irritation.

Effects of Inhalation: Not applicable.

Ingestion: Irritation.
Long Term Effects: Not known.

Accidental Release Measures

Personal Protection: Gloves, overalls and boots.

Environmental Precautions: Not applicable.

Clean up methods: Absorb on inert material and treat as industrial waste.

Physical and Chemical Properties:

Appearance: Emulsion.

Colour: White.

pH: 8

Boiling Point: Not applicable.

Solubility (water): soluble .

Stability and Reactivity

Stability: Stable.

Conditions to Avoid: Not applicable.

Materials to Avoid: Not applicable.

Hazardous Decomposition Products: Not applicable.

Handling and Storage

Handling: Impervious gloves and eye protection, ensure good ventilation.

Storage: Store in a cool dry place between 5 and 45°C.

Waste Disposal

Appropriate methods of disposal. Absorbed onto inert material and then landfill. Statutory Requirements for Waste Disposal: Do not allow to enter water courses.

Fire Fighting Measures

Extinguishing Media: All standard methods.

Unsuitable Extinguishing Media: Not applicable.

Protective Equipment: Not applicable.

Fire Hazards: Not applicable.



<u>DampOut+ WaterSeal</u> <u>Safety Data Sheet</u>

(17th April 2012)

(version 1)

Transport Information

CPL: n/a; IMO: n/a

Regulatory Information

Label:

Non hazardous. See information supplied by manufacturer.

Keep out of reach of children.

Disclaimer

The information in this document is offered for general health and safety guidance only and is not intended to be a definitive source of advice, nor does it constitute a risk assessment, for which the user is responsible. All information provided in this document is believed to be accurate to the best of our knowledge. Users of the products referred to should observe the recommendations, conditions and instructions relating to any relevant product label, usage information, consent or approval in force at the time. Further and more specific information may be obtained from the supplier on request (small fee may be required for this service). This company shall not be held liable for any damage resulting from handling or from contact with the above product.