

## Safety Data Sheet

(17<sup>th</sup> April 2012)

(version 1)

### Product Identification

**Trade Name:** Xtreme Always Silicone Sealant  
**Description:** A specially formulated sealant containing fungicide.

### Hazardous Ingredients

Component	EINECS	CAS	Classification	Conc.
Distillates, petroleum, hydrotreated middle	265-148-2	64742-46-7	10-20%	Xn; R65 R66

### Hazard Identification

**Main Hazards:** Repeated exposure may cause skin dryness or cracking.

### Emergency and First Aid

**After Eye Contact:** May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.

**After Skin Contact:** May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.

**After Ingestion:** May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

**After Inhalation:** May cause irritation to mucous membranes. Move the exposed person to fresh air.

### Exposure Control/Personal Protection

**Engineering Measures:** Ensure adequate ventilation of the working area.

**Protective Equipment:** Wear suitable protective clothing.

**Hand Protection:** Chemical Resistant Gloves (PVC).

**Eye Protection:** In case of splashing, wear approved safety goggles.

### Ecological Information

### Toxicological Information

### Stability and Reactivity

Stable under normal conditions.

### Transport Information

This product is not classified as dangerous for carriage.

## Safety Data Sheet

(17<sup>th</sup> April 2012)

(version 1)

### Accidental Release Measures

<b>Personal Protection:</b>	Ensure adequate ventilation of the working area.
<b>Environmental Precautions:</b>	Do not allow product to enter drains. Prevent further spillage if safe.
<b>Clean up methods:</b>	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

### Handling and Storage

<b>Handling:</b>	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
<b>Storage:</b>	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

### Physical and Chemical Properties:

<b>Appearance:</b>	Liquid.
<b>Odour:</b>	Characteristic.
<b>Viscosity:</b>	Kinematic Viscosity in 10-6 m <sup>2</sup> /s at 40°C (ISO 3219)-7.
<b>Relative Density:</b>	0.89-1.06.
<b>Water Solubility:</b>	Insoluble in water.

### Waste Disposal

Dispose of in compliance with all local and national regulations

### Fire Fighting Measures

<b>Extinguishing Media:</b>	Use extinguishing media appropriate to the surrounding fire conditions.
<b>Fire Hazards:</b>	Burning produces irritating, toxic and obnoxious fumes.
<b>Advice for Firefighters:</b>	Wear suitable respiratory equipment when necessary.

### Regulatory Information

**Risk Phrases:** R66: Repeated exposure may cause skin dryness or cracking.

### Text of Risk Phrases Mentioned

R66: Repeated exposure may cause skin dryness or cracking.  
R65: Harmful: May cause lung damage if swallowed.

### Disclaimer

The information in this document is offered for general health and safety guidance only and is not intended to be a definitive source of advice, nor does it constitute a risk assessment, for which the user is responsible. All information provided in this document is believed to be accurate to the best of our knowledge. Users of the products referred to should observe the recommendations, conditions and instructions relating to any relevant product label, usage information, consent or approval in force at the time. Further and more specific information may be obtained from the supplier on request (small fee may be required for this service). This company shall not be held liable for any damage resulting from handling or from contact with the above product.